


Features

- PCIe to four SATA III ports supported
- Auto switch between SATA port #4 & mSATA
- Supports AHCI, Port-Multiplier.
- Supports Native Command Queuing.
- Supports error reporting, recovery and correction.
- Pin header for LED connection.
- 30µ golden finger, 3 years warranty.
- Industrial design, manufactured in innodisk Taiwan

Mechanical Drawing



Specifications

Headquarters (Taiwan)
 5F., No. 237, Sec. 1, Datong Rd.,
 Xizhi Dist., New Taipei City 221,
 Taiwan
 Tel: +886-2-77033000
 Email: sales@innodisk.com

Branch Offices:
USA
usasales@innodisk.com
 +1-510-770-9421

Europe
eusales@innodisk.com
 +31-040-282-1818

Japan
jpsales@innodisk.com
 +81-45-594-7581

China
sales_cn@innodisk.com
 +86-755-21673689

www.innodisk.com

© 2014 Innodisk Corporation.
 All right reserved. Specifications
 are subject to change without
 prior notice.

May 27, 2015

Form-Factor	STD PCIe
Input I/F	PCI Express 2.0
Output I/F	SATA III
Output Connector	SATA 7pin x 4, mSATA x 1 (mPCIe as an alternative to SATA #4 port)
TDP	2.74W (3.3V x 830mA)
Dimension (WxLxH)	72.1 x 69.8 x 8.3mm, Weight: 32g
Temperature	Operation: STD: 0°C ~ +70°C Storage: -55°C ~ +95°C
Environment	Vibration: 5G @7~2000Hz, Shock: 50G @ 0.5ms
Notes	Auto switch SATA port 4 & mSATA (alternative)

Order Information

ESPS-3401-C1
 PCIe to four SATA III Module

Authorised Distributor
ADITECH ICT PVT. LTD.

803,sigma IT park, plat no 203/204 Rabale, TTC Industrial
 area, Thane-Belapur road, Rabale-400701
 Tel:+91 9819884527 Email: sales@aditech.in
 Website: www.aditech.in